




• KUPFER
• COPPER
• COBRE
• CUIVRE
• RAME
• CU



conticast.com

conticast

**RF2K-RF4K
UPWARDS MODE
CONTINUOUS CASTERS**

STANDARD CASTER RANGE


TYPICAL WIRE ROD DIAMETER ~ 8mm
 MAXIMUM ROD DIAMETER ~ 30mm

CASTING RATE - 300kg TO 650kg / HOUR



THE **conticast** STAFF BASED IN OUR EU CAD DESIGN OFFICE ARE ALWAYS AVAILABLE TO GIVE FULL TECHNICAL BACK-UP TO CUSTOMERS

PLANT LAYOUT



FEATURES

- CHOICE OF FUELS:
NATURAL GAS, OIL,
LPG OR ELECTRIC
- LOW OPERATING COSTS
- EMPTYING FACILITY FOR
RAPID CRUCIBLE
EXCHANGE
- USER FRIENDLY
- TECHNICAL BACK-UP
- STANDARD MORGAN
GROUP CRUCIBLES FOR
MELTING & HOLDING
FURNACES
- QUIET BURNER
- 2000 or 4000 MT/YR
OPTIONS
- MULTI-STRAND
- RELIABLE STRAND
HAUL OFF SYSTEM
- CONTROL PANEL WITH
DIGITAL TEMPERATURE
CONTROLLERS
- LOADING PLATFORM WITH
ACCESS STEPS
- NO FOUNDATIONS
REQUIRED



conticast.com

THE **conticast** RF2K - 4K UPWARDS MODE CASTING
UNITS HAVE BEEN DEVELOPED SO THEY CAN BE
OPERATED AND MAINTAINED WITH MINIMAL TECHNICAL
KNOWLEDGE

SIMPLE FUEL BURNER SYSTEMS COMBINED WITH
RELIABLE CONTROLS ENABLE PRODUCTION OF
CONTINUOUSLY CAST Cu-OF COPPER AND ALLOY WIRE
RODS IN ENVIRONMENTS WITH LIMITED
INFRASTRUCTURE AND VARIABLE POWER SUPPLIES

conticast UPWARDS MODE CASTERS

FOR SMALL/MEDIUM SCALE PRODUCTION OF
COPPER REDRAW WIRE RODS, TUBES AND SECTIONS IN
PURE OXYGEN FREE COPPER AND COPPER ALLOYS



- COPPER / SILVER
- GUNMETAL
- BRASSES
- SILICON BRONZE
- PHOSPHOR BRONZE
- ALUMINIUM BRONZE
- NICKEL BRASS
- TIN BRONZE

PLUS MANY OTHERS





THE **conticast RF2K - 4K
UPWARDS MODE CASTING
MODELS PRODUCE HIGH
QUALITY PURE COPPER Cu-OF
& ALLOY CAST ROD, PROFILES,
TUBES AND SECTIONS TO
INTERNATIONAL / ASTM / ISO /
EN STANDARDS**



**conticast use melt crucibles and
other A1 quality high temperature
components from....**



conticast limited

PO BOX 6711 - CARNOUSTIE DD7 7YL - UK
TEL: +44 1241 852611 FAX: +44 1241 854423
E-MAIL: conticast@sacomet.com
WEB: www.conticast.com
www.sacomet.com

