



• SILVER
• GOLD
• JEWELLERY
• DENTAL
• ELECTRONICS



**MODEL RF5-50
HORIZONTAL
CONTINUOUS CASTER**

conticast


conticast.com

STANDARD CASTER RANGE

MINIMUM ROD DIAMETER ~ 3mm
MAXIMUM ROD DIAMETER ~ 50mm
MAXIMUM STRIP WIDTH ~ 200mm
CASTING RATE ~typ1kg TO 40kg / HOUR



THE **conticast** STAFF BASED IN OUR UK CAD DESIGN OFFICE ARE ALWAYS AVAILABLE TO GIVE TECHNICAL BACK-UP BY TELEPHONE OR ON SITE AT CUSTOMERS PREMISES



FEATURES

- REF5 - 50 USES CLEAN ELECTRIC HEATING
- LOW OPERATING COSTS
- SYSTEM IS FULLY DRAINING
- RAPID DIE CHANGE
- USER FRIENDLY
- TECHNICAL BACK-UP
- HIGH QUALITY GRAPHITE CRUCIBLES, 5 - 50 kg CAPACITY
- SILENT OPERATION
- INSULATED LID
- SINGLE OR MULTI-STRAND
- AC DRIVE STRAND HAUL OFF SYSTEM
- CONTROLS WITH DIGITAL TEMPERATURE CONTROLLER
- SUPPLIED WITH ACCESS STEPS
- NO FOUNDATIONS REQUIRED

conticast.com



THE **conticast** MODEL RF 5-50 HORIZONTAL CASTER HAS BEEN DEVELOPED SO THAT IT CAN BE OPERATED AND MAINTAINED WITH MINIMAL TECHNICAL KNOWLEDGE

SIMPLE TO OPERATE SYSTEMS COMBINED WITH BASIC CONTROLS ENABLE PRODUCTION OF CONTINUOUSLY CAST PRECIOUS METAL ALLOYS IN ENVIRONMENTS WITH LIMITED INFRASTRUCTURE AND VARIABLE POWER SUPPLIES



conticast HORIZONTAL CASTER

REF 5-50 MODEL FOR SMALL/MEDIUM SCALE PRODUCTION OF RODS, TUBES AND SECTIONS IN PRECIOUS METAL ALLOYS

- COPPER / SILVER
- FINE SILVER
- FINE GOLD
- CARAT GOLDS
- DENTAL ALLOYS
- ELECTRONICS WIRES
- GOLD BONDING WIRES
- SILVER BRAZING ALLOYS



THE **conticast REF5 - 50**
MODEL HORIZONTAL CASTER
PRODUCES HIGH QUALITY
PRECIOUS METALS CAST ROD,
PROFILES, TUBE AND
SECTIONS TO INTERNATIONAL
INDUSTRY STANDARDS



conticast.com

conticast limited

PO BOX 6711 - CARNOUSTIE DD7 7YL - UK

TEL: +44 1241 852611 FAX: +44 1241 854423

E-MAIL: conticast@sacomet.com

WEB: <http://www.conticast.com>